

Справочник сокращений Emmet



PROGRAMMING NOT ONLY
sitkodenis.ru

Документация создана при поддержке проекта

sitkodenis.ru

Синтаксис Emmet

Дочерний: >

nav>ul>li

```
<nav>
  <ul>
    <li></li>
  </ul>
</nav>
```

Одноуровневый: +

div+p+bq

```
<div></div>
<p></p>
<blockquote></blockquote>
```

Подняться выше: ^

div>p>span+em^bq

```
<div>
  <p><span></span><em></em></p>
  <blockquote></blockquote>
</div>
```

Группирование: ()

(div>dl>(dt+dd)*2)+footer>p

```
<div>
  <dl>
    <dt></dt>
    <dd></dd>
    <dt></dt>
    <dd></dd>
  </dl>
</div>
<footer>
  <p></p>
</footer>
```

Текст: {}

a{Click me}

```
<a href="">Click me</a>
```

Пользовательские атрибуты: []

p[title="Hello world"]

```
<p title="Hello world"></p>
```

Умножение: *

ul>li*3

```
<ul>
  <li></li>
  <li></li>
  <li></li>
</ul>
```

Нумерация элементов: \$

ul>li.item-\$*2

```
<ul>
  <li class="item-1"></li>
  <li class="item-2"></li>
</ul>
```

Нумерация элементов с определённого значения: \$ и @

ul>li.item\$@3*2

```
<ul>
  <li class="item3"></li>
  <li class="item4"></li>
</ul>
```

Атрибуты ID и CLASS

#header+.class

```
<div id="header"></div>
<div class="class"></div>
```

Неявные имена тегов

.class

```
<div class="class"></div>
```

em>.class

```
<em><span class="class"></span></em>
```

ul>.class

```
<ul>
  <li class="class"></li>
</ul>
```

table>.row>.col

```
<table>
  <tr class="row">
    <td class="col"></td>
  </tr>
</table>
```

Справочник сокращений ЕММЕТ



PROGRAMMING NOT ONLY

Документация создана при поддержке проекта

sitkodenis.ru

HTML

Гиперссылка

a	
a:link	
a:mail	
abbr	<abbr title=""></abbr>
acronym, acr	<acronym title=""></acronym>
base	<base href="" />
basefont	<basefont />
br	
frame	<frame />
hr	<hr />
bdo	<bdo dir=""></bdo>
bdo:l	<bdo dir="ltr"></bdo>
bdo:r	<bdo dir="rtl"></bdo>
col	<col />

Подключение внешнего документа

link	<link rel="stylesheet" href="" />
link:css	<link rel="stylesheet" href="style.css" />
link:print	<link rel="stylesheet" href="print.css" media="print" />
link:favicon	<link rel="shortcut icon" type="image/x-icon" href="favicon.ico" />
link:touch	<link rel="apple-touch-icon" href="favicon.png" />
link:rss	<link rel="alternate" type="application/rss+xml" title="RSS" href="rss.xml" />
link:atom	<link rel="alternate" type="application/atom+xml" title="Atom" href="atom.xml" />
link:import, link:im	<link rel="import" href="component.html" />

Метаинформация

meta	<meta />
meta:utf	<meta http-equiv="Content-Type" content="text/html;charset=UTF-8" />
meta:win	<meta http-equiv="Content-Type" content="text/html;charset=windows-1251" />
meta:vp	<meta name="viewport" content="width=device-width, user-scalable=no, initial-scale=1.0, maximum-scale=1.0, minimum-scale=1.0" />
meta:compat	<meta http-equiv="X-UA-Compatible" content="IE=7" />
style	<style></style>
script	<script></script>
script:src	<script src=""></script>

Изображения, медийный ресурсы

img	
img:srcset, img:s	
img:sizes, img:z	
picture, pic	<picture></picture>
pic+	<picture> <source srcset="" /> </picture>
source, src	<source />
source:src, src:sc	<source src="" type="" />
source:srcset, src:s	<source srcset="" />
source:media, src:m	<source media="(min-width:)" srcset="" />
source:type, src:t	<source srcset="" type="image/" />
source:sizes, src:z	<source sizes="" srcset="" />
source:media:type, src:mt	<source media="(min-width:)" srcset="" type="image/" />
source:media:sizes, src:mz	<source media="(min-width:)" sizes="" srcset="" />
source:sizes:type, src:zt	<source sizes="" srcset="" type="image/" />
iframe, ifr	<iframe src="" frameborder="0"></iframe>

Справочник сокращений ЕММЕТ



PROGRAMMING NOT ONLY

Документация создана при поддержке проекта

sitkodenis.ru

embed, emb <embed src="" type="" />
object, obj <object data="" type=""></object>
param <param name="" value="" />
map <map name=""></map>
area <area shape="" coords="" href="" alt="" />
area:d <area shape="default" href="" alt="" />
area:c <area shape="circle" coords="" href="" alt="" />
area:r <area shape="rect" coords="" href="" alt="" />
area:p <area shape="poly" coords="" href="" alt="" />

Форма и ее элементы

btn <button></button>
button:submit, button:s, btn:s <button type="submit"></button>
button:reset, button:r, btn:r <button type="reset"></button>
button:disabled, button:d, btn:d <button disabled="disabled"></button>
fst, fset <fieldset></fieldset>
fieldset:disabled, fieldset:d, fset:d, fst:d <fieldset disabled="disabled"></fieldset>
form <form action=""></form>
form:get <form action="" method="get"></form>
form:post <form action="" method="post"></form>
keygen, kg <keygen />
label <label for=""></label>
leg <legend></legend>
input <input type="text" />
input:hidden, input:h <input type="hidden" name="" />
inp, input:text, input:t <input type="text" name="" id="" />
input:search <input type="search" name="" id="" />
input:email <input type="email" name="" id="" />
input:url <input type="url" name="" id="" />
input:password, input:p <input type="password" name="" id="" />
input:datetime <input type="datetime" name="" id="" />
input:date <input type="date" name="" id="" />
input:datetime-local <input type="datetime-local" name="" id="" />
input:month <input type="month" name="" id="" />
input:week <input type="week" name="" id="" />

input:time <input type="time" name="" id="" />
input:tel <input type="tel" name="" id="" />
input:number <input type="number" name="" id="" />
input:color <input type="color" name="" id="" />
input:checkbox, input:c <input type="checkbox" name="" id="" />
input:radio, input:r <input type="radio" name="" id="" />
input:range <input type="range" name="" id="" />
input:file, input:f <input type="file" name="" id="" />
input:submit, input:s <input type="submit" value="" />
input:image, input:i <input type="image" src="" alt="" />
input:button, input:b <input type="button" value="" />
input:reset <input type="reset" value="" />
select <select name="" id=""></select>
select:disabled, select:d <select name="" id="" disabled="disabled"></select>
select+ <select name="" id="">
 <option value=""></option>
 </select>
optg <optgroup></optgroup>
option, opt <option value=""></option>
optgroup+, optg+ <optgroup>
 <option value=""></option>
 </optgroup>
textarea, tarea <textarea name="" id="" cols="30" rows="10"></textarea>

adr <address></address>
art <article></article>
audio <audio src=""></audio>
bq <blockquote></blockquote>
cap <caption></caption>
command, cmd <command />
datal <datalist></datalist>
datag <datagrid></datagrid>
det <details></details>
dlg <dialog></dialog>
lsindex <isindex />

Справочник сокращений ЕММЕТ



PROGRAMMING NOT ONLY

Документация создана при поддержке проекта

sitkodenis.ru

fig <figure></figure>
figc <figcaption></figcaption>
ftr <footer></footer>
hdr <header></header>
mn <main></main>
marquee <marquee behavior="" direction=""></marquee>
menu:context, menu:c <menu type="context"></menu>
menu:toolbar, menu:t <menu type="toolbar"></menu>
out <output></output>
prog <progress></progress>
ri:dpr, ri:d
ri:viewport, ri:v
ri:art, ri:a <picture>
 <source media="(min-width:)" srcset="" />

</picture>
ri:type, ri:t <picture>
 <source srcset="" type="image/" />

</picture>
sect <section></section>
str
tem <template></template>
video <video src=""></video>
map+ <map name="">
 <area shape="" coords="" href="" alt="" />
</map>

Таблицы

table+ <table>
 <tr>
 <td></td>
 </tr>
</table>
 <colgroup></colgroup>
 <colgroup>
 <col />
 </colgroup>
 <tr>
 <td></td>
 </tr>

colg
colgroup+, colg+

tr+

Списки

dl+ <dl> ol+ ul+
 <dt></dt>
 <dd></dd>
</dl>

Справочник сокращений EMMET



Документация создана при поддержке проекта

sitkodenis.ru

PROGRAMMING NOT ONLY

CSS

Визуальное форматирование

pos	position:relative;	d:i	display:inline;
pos:s	position:static;	d:ib	display:inline-block;
pos:a	position:absolute;	d:li	display:list-item;
pos:r	position:relative;	d:ri	display:run-in;
pos:f	position:fixed;	d:cp	display:compact;
t	top:;	d:tb	display:table;
t:a	top:auto;	d:itb	display:inline-table;
r	right:;	d:tbc	display:table-caption;
r:a	right:auto;	d:tbcl	display:table-column;
b	bottom:;	d:tbclg	display:table-column-group;
b:a	bottom:auto;	d:tbhg	display:table-header-group;
l	left:;	d:tbfg	display:table-footer-group;
l:a	left:auto;	d:tbr	display:table-row;
z	z-index:;	d:tbrg	display:table-row-group;
z:a	z-index:auto;	d:tbc	display:table-cell;
fl	float:left;	d:rb	display:ruby;
fl:n	float:none;	d:rbb	display:ruby-base;
fl:l	float:left;	d:rbbg	display:ruby-base-group;
fl:r	float:right;	d:rbt	display:ruby-text;
cl	clear:both;	d:rbtg	display:ruby-text-group;
cl:n	clear:none;	v	visibility:hidden;
cl:l	clear:left;	v:v	visibility:visible;
cl:r	clear:right;	v:h	visibility:hidden;
cl:b	clear:both;	v:c	visibility:collapse;
d	display:block;	ov	overflow:hidden;
d:n	display:none;	ov:v	overflow:visible;
d:b	display:block;	ov:h	overflow:hidden;
d:f	display:flex;	ov:s	overflow:scroll;
d:if	display:inline-flex;	ov:a	overflow:auto;

ovx	overflow-x:hidden;	cp	clip:;
ovx:v	overflow-x:visible;	cp:a	clip:auto;
ovx:h	overflow-x:hidden;	cp:r	clip:rect(top right bottom left);
ovx:s	overflow-x:scroll;	rsz	resize:;
ovx:a	overflow-x:auto;	rsz:n	resize:none;
ovy	overflow-y:hidden;	rsz:b	resize:both;
ovy:v	overflow-y:visible;	rsz:h	resize:horizontal;
ovy:h	overflow-y:hidden;	rsz:v	resize:vertical;
ovy:s	overflow-y:scroll;	cur	cursor:\${pointer};
ovy:a	overflow-y:auto;	cur:a	cursor:auto;
ovs	overflow-style:scrollbar;	cur:d	cursor:default;
ovs:a	overflow-style:auto;	cur:c	cursor:crosshair;
ovs:s	overflow-style:scrollbar;	cur:ha	cursor:hand;
ovs:p	overflow-style:panner;	cur:he	cursor:help;
ovs:m	overflow-style:move;	cur:m	cursor:move;
ovs:mq	overflow-style:marquee;	cur:p	cursor:pointer;
zoo, zm	zoom:1;	cur:t	cursor:text;

Поле и отступы

m	margin:;	ml	margin-left:;
m:a	margin:auto;	ml:a	margin-left:auto;
mt	margin-top:;	p	padding:;
mt:a	margin-top:auto;	pt	padding-top:;
mr	margin-right:;	pr	padding-right:;
mr:a	margin-right:auto;	pb	padding-bottom:;
mb	margin-bottom:;	pl	padding-left:;
mb:a	margin-bottom:auto;		

Справочник сокращений ЕММЕТ



Документация создана при поддержке проекта

sitkodenis.ru

PROGRAMMING NOT ONLY

Размер блока

bz box-sizing:border-box; **h:a** height:auto;
bz:cb box-sizing:content-box; **maw** max-width:;
bz:bb box-sizing:border-box; **maw:n** max-width:none;
bxsh box-shadow:inset hoff voff blur color;
bxsh:r box-shadow:inset hoff voff blur spread rgba(0, 0, 0);
bxsh:ra box-shadow:inset h v blur spread rgba(0, 0, 0, .5);
bxsh:n box-shadow:none; **mah** max-height:;
w width:; **mah:n** max-height:none;
w:a width:auto; **miw** min-width:;
h height:; **mih** min-height:;

Шрифт

f font:; **f+** font:1em Arial,sans-serif;
fw font-weight:; **fef** font-effect:;
fw:n font-weight:normal; **fef:n** font-effect:none;
fw:b font-weight:bold; **fef:eg** font-effect:engrave;
fw:br font-weight:bolder; **fef:eb** font-effect:emboss;
fw:lr font-weight:lighter; **fef:o** font-effect:outline;
fs, fs:i font-style:italic; **fem** font-emphasize:;
fs:n font-style:normal; **femp** font-emphasize-position:;
fs:o font-style:oblique; **femp:b** font-emphasize-position:before;
fv font-variant:; **femp:a** font-emphasize-position:after;
fv:n font-variant:normal; **fems** font-emphasize-style:;
fv:sc font-variant:small-caps; **fems:n** font-emphasize-style:none;
fz font-size:; **fems:ac** font-emphasize-style:accent;
fza font-size-adjust:; **fems:dt** font-emphasize-style:dot;
fza:n font-size-adjust:none; **fems:c** font-emphasize-style:circle;
ff font-family:; **fems:ds** font-emphasize-style:disc;
ff:s font-family:serif; **fsm** font-smooth:;
ff:ss font-family:sans-serif; **fsm:a** font-smooth:auto;

ff:c font-family:cursive; **fsm:n** font-smooth:never;
ff:f font-family:fantasy; **fsm:aw** font-smooth:always;
ff:m font-family:monospace; **fst:sc** font-stretch:semi-condensed;
ff:a font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;
ff:t font-family: "Times New Roman", Times, Baskerville, Georgia, serif;
ff:v font-family: Verdana, Geneva, sans-serif;
fst font-stretch:; **fst:se** font-stretch:semi-expanded;
fst:n font-stretch:normal; **fst:e** font-stretch:expanded;
fst:uc font-stretch:ultra-condensed; **fst:ee** font-stretch:extra-expanded;
fst:ec font-stretch:extra-condensed; **fst:ue** font-stretch:ultra-expanded;
fst:c font-stretch:condensed;

Текст

va vertical-align:top; **te:c** text-emphasis:circle;
va:sup vertical-align:super; **te:ds** text-emphasis:disc;
va:t vertical-align:top; **te:b** text-emphasis:before;
va:tt vertical-align:text-top; **te:a** text-emphasis:after;
va:m vertical-align:middle; **th** text-height:;
va:bl vertical-align:baseline; **th:a** text-height:auto;
va:b vertical-align:bottom; **th:f** text-height:font-size;
va:tb vertical-align:text-bottom; **th:t** text-height:text-size;
va:sub vertical-align:sub; **th:m** text-height:max-size;
ta, ta:l text-align:left; **ti** text-indent:;
ta:c text-align:center; **ti:-** text-indent:-9999px;
ta:r text-align:right; **tj** text-justify:;
ta:j text-align:justify; **tj:a** text-justify:auto;
ta-lst text-align-last:; **tj:iw** text-justify:inter-word;
tal:a text-align-last:auto; **tj:ii** text-justify:inter-ideograph;
tal:l text-align-last:left; **tj:ic** text-justify:inter-cluster;
tal:c text-align-last:center; **tj:d** text-justify:distribute;
tal:r text-align-last:right; **tj:k** text-justify:kashida;
td, td:n text-decoration:none; **tj:t** text-justify:tibetan;

Справочник сокращений ЕММЕТ



PROGRAMMING NOT ONLY

Документация создана при поддержке проекта

sitkodenis.ru

td:u	text-decoration:underline;	to	text-outline:;
td:o	text-decoration:overline;	to:+	text-outline:0 0 #000;
td:l	text-decoration:line-through;	to:n	text-outline:none;
te	text-emphasis:;	tr	text-replace:;
te:n	text-emphasis:none;	tr:n	text-replace:none;
te:ac	text-emphasis:accent;	tt	text-transform:uppercase;
te:dt	text-emphasis:dot;	tt:n	text-transform:none;
tt:c	text-transform:capitalize;	whs:pl	white-space:pre-line;
tt:u	text-transform:uppercase;	whsc	white-space-collapse:;
tt:l	text-transform:lowercase;	whsc:n	white-space-collapse:normal;
tw	text-wrap:;	whsc:k	white-space-collapse:keep-all;
tw:n	text-wrap:normal;	whsc:l	white-space-collapse:loose;
tw:no	text-wrap:none;	whsc:bs	white-space-collapse:break-strict;
tw:u	text-wrap:unrestricted;	whsc:ba	white-space-collapse:break-all;
tw:s	text-wrap:suppress;	wob	word-break:;
tsh	text-shadow:h v off blur #000;		
tsh:r	text-shadow:h v blur rgb(0, 0, 0);		
tsh:ra	text-shadow:h v blur rgba(0, 0, 0, .5);		
tsh:+	text-shadow:0 0 0 #000;	wob:n	word-break:normal;
tsh:n	text-shadow:none;	wob:k	word-break:keep-all;
lh	line-height:;	wob:ba	word-break:break-all;
lts	letter-spacing:;	wos	word-spacing:;
lts-n	letter-spacing:normal;	wow	word-wrap:;
whs	white-space:;	wow:nm	word-wrap:normal;
whs:n	white-space:normal;	wow:n	word-wrap:none;
whs:p	white-space:pre;	wow:u	word-wrap:unrestricted;
whs:nw	white-space:nowrap;	wow:s	word-wrap:suppress;
whs:pw	white-space:pre-wrap;	wow:b	word-wrap:break-word;

Фон

bg	background:#000;	bg:n	background:none;
bg+	background:#fff url() 0 0 no-repeat;	bgc	background-color:#fff;

bgc:t	background-color:transparent;	bgbk:eb	background-break:each-box;
bgi	background-image:url();	bgbk:c	background-break:continuous;
bgi:n	background-image:none;	bgcp	background-clip;padding-box;
bgr	background-repeat:;	bgcp:bb	background-clip:border-box;
bgr:n	background-repeat:no-repeat;	bgcp:pb	background-clip:padding-box;
bgr:x	background-repeat:repeat-x;	bgcp:cb	background-clip:content-box;
bgr:y	background-repeat:repeat-y;	bgcp:nc	background-clip:no-clip;
bgr:sp	background-repeat:space;	bgo	background-origin:;
bgr:rd	background-repeat:round;	bgo:pb	background-origin:padding-box;
bga	background-attachment:;	bgo:bb	background-origin:border-box;
bga:f	background-attachment:fixed;	bgo:cb	background-origin:content-box;
bga:s	background-attachment:scroll;	bgsz	background-size:;
bgp	background-position:0 0;	bgsz:a	background-size:auto;
bgpx	background-position-x:;	bgsz:ct	background-size:contain;
bgpy	background-position-y:;	bgsz:cv	background-size:cover;
bgbk	background-break:;	bgbk:bb	background-break:bounding-box;

Цвет

c	color:#000;	c:ra	color:rgba(0, 0, 0, .5);
c:r	color:rgb(0, 0, 0);	op	opacity:;

Генерированный контент

cnt	content:";"	concnt:a, ct:a	content:attr();
cnt:n, ct:n	content:normal;	cnt:c, ct:c	content:counter();
cnt:oq, ct:oq	content:open-quote;	cnt:cs, ct:cs	content:counters();
cnt:noq, ct:noq	content:no-open-quote;	ct	content:;
cnt:cq, ct:cq	content:close-quote;	q	quotes:;
cnt:ncq, ct:ncq	tent:no-close-quote;	q:n	quotes:none;
coi	counter-increment:;	q:ru	quotes:'\00AB'\,\00BB'\,\201E'\,\201C';
cor	counter-reset:;	q:en	quotes:'\201C'\,\201D'\,\2018'\,\2019';

Справочник сокращений ЕММЕТ



PROGRAMMING NOT ONLY

Документация создана при поддержке проекта

sitkodenis.ru

Контур

ol	outline:;	ols:ds	outline-style:dashed;
ol:n	outline:none;	ols:s	outline-style:solid;
olo	outline-offset:;	ols:db	outline-style:double;
olw	outline-width:;	ols:g	outline-style:groove;
olw:tn	outline-width:thin;	ols:r	outline-style:ridge;
olw:m	outline-width:medium;	ols:i	outline-style:inset;
olw:tc	outline-width:thick;	ols:o	outline-style:outset;
ols	outline-style:;	olc	outline-color:#000;
ols:n	outline-style:none;	olc:i	outline-color:invert;
ols:dt	outline-style:dotted;		

Таблица

tbl	table-layout:;	cps:b	caption-side:bottom;
tbl:a	table-layout:auto;	ec	empty-cells:;
tbl:f	table-layout:fixed;	ec:s	empty-cells:show;
cps	caption-side:;	ec:h	empty-cells:hide;
cps:t	caption-side:top;		

Граница

bd	border:;	bdi:n	border-image:none;
bd+	border:1px solid #000;	bdti	border-top-image:url();
bd:n	border:none;	bdti:n	border-top-image:none;
bdk	border-break:close;	bdri	border-right-image:url();
bdk:c	border-break:close;	bdri:n	border-right-image:none;
bdcl	border-collapse:;	bdbi	border-bottom-image:url();
bdcl:c	border-collapse:collapse;	bdbi:n	border-bottom-image:none;
bdcl:s	border-collapse:separate;	bdli	border-left-image:url();
bdc	border-color:#000;	bdli:n	border-left-image:none;
bdc:t	border-color:transparent;	bdci	border-corner-image:url();
bdi	border-image:url();	bdci:n	border-corner-image:none;

bdc:c	border-corner-image:continue;	bds:dt�dts	border-style:dot-dash;
bdti	border-top-left-image:url();	bds:dt�dtds	border-style:dot-dot-dash;
bdti:n	border-top-left-image:none;	bds:w	border-style:wave;
bdti:c	border-top-left-image:continue;	bds:g	border-style:groove;
bdtri	border-top-right-image:url();	bds:r	border-style:ridge;
bdtri:n	border-top-right-image:none;	bds:i	border-style:inset;
bdtri:c	border-top-right-image:continue;	bds:o	border-style:outset;
bdbri	border-bottom-right-image:url();	bdw	border-width:;
bdbri:n	border-bottom-right-image:none;	bdt, bt	border-top:;
bdbri:c	border-bottom-right-image:continue;	bdt+	border-top:1px solid #000;
bdbli	border-bottom-left-image:url();	bdt:n	border-top:none;
bdbli:n	border-bottom-left-image:none;	bdtw	border-top-width:;
bdbli:c	border-bottom-left-image:continue;	bdts	border-top-style:;
bdf	border-fit:repeat;	bdts:n	border-top-style:none;
bdf:c	border-fit:clip;	bdtc	border-top-color:#000;
bdf:r	border-fit:repeat;	bdtc:t	border-top-color:transparent;
bdf:sc	border-fit:scale;	bdr, br	border-right:;
bdf:st	border-fit:stretch;	bdr+	border-right:1px solid #000;
bdf:ow	border-fit:overwrite;	bdr:n	border-right:none;
bdf:of	border-fit:overflow;	bdrw	border-right-width:;
bdf:sp	border-fit:space;	bdrst	border-right-style:;
bdlen	border-length:;	bdrst:n	border-right-style:none;
bdlen:a	border-length:auto;	bdrc	border-right-color:#000;
bdsp	border-spacing:;	bdrc:t	border-right-color:transparent;
bds	border-style:;	bdb, bb	border-bottom:;
bds:n	border-style:none;	bdb+	border-bottom:1px solid #000;
bds:h	border-style:hidden;	bdb:n	border-bottom:none;
bds:dt	border-style:dotted;	bdbw	border-bottom-width:;
bds:ds	border-style:dashed;	bdb:s	border-bottom-style:;
bds:s	border-style:solid;	bdb:s:n	border-bottom-style:none;
bds:db	border-style:double;	bdbc	border-bottom-color:#000;

Справочник сокращений ЕММЕТ



PROGRAMMING NOT ONLY

Документация создана при поддержке проекта

sitkodenis.ru

bdbc:t	border-bottom-color:transparent;	bdlc	border-left-color:#000;
bdl, bl	border-left:;	bdlc:t	border-left-color:transparent;
bdl+	border-left:1px solid #000;	bdrs	border-radius:;
bdl:n	border-left:none;	bdtrs	border-top-right-radius:;
bdlw	border-left-width:;	bdtlrs	border-top-left-radius:;
bdls	border-left-style:;	bdbrrs	border-bottom-right-radius:;
bdls:n	border-left-style:none;	bdblrs	border-bottom-left-radius:;

Списки

lis	list-style:;	list:c	list-style-type:circle;
lis:n	list-style:none;	list:s	list-style-type:square;
lisp	list-style-position:;	list:dc	list-style-type:decimal;
lisp:i	list-style-position:inside;	list:dclz	list-style-type:decimal-leading-zero;
lisp:o	list-style-position:outside;	list:lr	list-style-type:lower-roman;
list	list-style-type:;	list:ur	list-style-type:upper-roman;
list:n	list-style-type:none;	lis:i	list-style-image:;
list:d	list-style-type:disc;	lis:n	list-style-image:none;

Печать

pgbb	page-break-before:;	pgba	page-break-after:;
pgbb:au	page-break-before:auto;	pgba:au	page-break-after:auto;
pgbb:al	page-break-before:always;	pgba:al	page-break-after:always;
pgbb:l	page-break-before:left;	pgba:l	page-break-after:left;
pgbb:r	page-break-before:right;	pgba:r	page-break-after:right;
pgbi	page-break-inside:;	orp	orphans:;
pgbi:au	page-break-inside:auto;	wid	widows:;

Другое

! important

@i, @import @import url();
@m, @media @media screen { }

@f	@font-face { font-family:; src:url();}	ai	align-items:;
@f+	@font-face { font-family: ,FontName'; src: url(,FileName.eot'); src: url(,FileName.eot?#iefix') format(embedded-opentype'), url(,FileName.woff') format(woff'), url(,FileName.ttf') format(truetype'), url(,FileName.svg#FontName') format(svg'); font-style: normal; font-weight: normal;	ai:b	align-items:baseline;
@kf	}	ai:c	align-items:center;
	@-webkit-keyframes identifier { from {} to {}}	ai:fe	align-items:flex-end;
	}	ai:fs	align-items:flex-start;
	@-o-keyframes identifier { from {} to {}}	ac	align-content:;
	}	ac:c	align-content:center;
	@keyframes identifier { from {} to {}}	ac:fe	align-content:flex-end;
	}	ac:fs	align-content:flex-start;
		ac:s	align-content:stretch;
		ac:sa	align-content:space-around;
		ai:s	align-items:stretch;

Справочник сокращений ЕММЕТ



PROGRAMMING NOT ONLY

Документация создана при поддержке проекта

sitkodenis.ru

ac:sb align-content:space-between;

Анимация

anim animation; **as** align-self; **anim-**

animation:name duration timing-function delay iteration-count
direction fill-mode;

animdel animation-delay:time; **as:a** align-self:auto;

animdir animation-direction:normal; **as:b** align-self:baseline;

animdir:a animation-direction:alternate; **as:c** align-self:center;

animdir:ar animation-direction:alternate-reverse;

animdir:n animation-direction:normal; **as:fe** align-self:flex-end;

animdir:r animation-direction:reverse; **as:fs** align-self:flex-start;

animdur animation-duration:0s; **as:s** align-self:stretch;

animfm animation-fill-mode:both; **bhv** backface-visibility:;

animfm:b animation-fill-mode:backwards;

animfm:bt, animfm:bh animation-fill-mode:both;

animfm:f animation-fill-mode:forwards; **bhv:h** backface-visibility:hidden;

animic animation-iteration-count:1; **bhv:v** backface-visibility:visible;

animic:i animation-iteration-count:infinite;

bg:ie filter:progid:DXImageTransform.Microsoft.AlphaImageLoader(src='x.png',sizingMethod='crop');

animn animation-name:none; **cm** /* \${child} */

animps animation-play-state:running; **colm** columns:;

animps:p animation-play-state:paused; **colmc** column-count:;

animps:r animation-play-state:running; **colmf** column-fill:;

animtf animation-timing-function:linear;

animtf:cb animation-timing-function:cubic-bezier(0.1, 0.7, 1.0, 0.1);

animtf:e animation-timing-function:ease;

animtf:ei animation-timing-function:ease-in;

animtf:eo animation-timing-function:ease-in-out;

animtf:eo animation-timing-function:ease-out;

animtf:l animation-timing-function:linear;

ap appearance:\${none}; **colmg** column-gap:;

colmr column-rule:;

colmrc column-rule-color:;

colmrs column-rule-style:;

colmrw column-rule-width:;

Flex

fx flex:; **jc:c** justify-content:center;

fxb flex-basis:; **jc:fe** justify-content:flex-end;

fxd flex-direction:; **jc:fs** justify-content:flex-start;

fxd:c flex-direction:column; **jc:sa** justify-content:space-around;

fxd:r flex-direction:row; **jc:sb** justify-content:space-between;

fxd:cr flex-direction:column-reverse; **mar** max-resolution:res;

fxd:rr flex-direction:row-reverse; **mir** min-resolution:res;

fxf flex-flow:; **op+** opacity: ;
filter: alpha(opacity=);

op:ie filter:progid:DXImageTransform.Microsoft.Alpha(Opacity=100);

op:ms -ms-filter:'progid:DXImageTransform.Microsoft.Alpha(Opacity=100)';

fxg flex-grow:; **ord** order:;

fxsh flex-shrink:; **ori** orientation:;

fxw flex-wrap: ; **ori:l** orientation:landscape;

fxw:n flex-wrap:nowrap; **ori:p** orientation:portrait;

fxw:w flex-wrap:wrap; **tov** text-overflow:\${ellipsis};

fxw:wr flex-wrap:wrap-reverse; **tov:c** text-overflow:clip;

jc justify-content:; **tov:e** text-overflow:ellipsis;

Трансформация, Переход

trf transform:; **trf:rz** transform: rotateZ(angle);

trf:r transform: rotate(angle); **trf:sc** transform: scale(x, y);

trf:rx transform: rotateX(angle); **trf:sc3** transform: scale3d(x, y, z);

trf:ry transform: rotateY(angle); **trf:scx** transform: scaleX(x);

Справочник сокращений ЕММЕТ

Документация создана при поддержке проекта

sitkodenis.ru



PROGRAMMING NOT ONLY

```
trf:scy transform: scaleY(y);      us      user-select:${none};  
trf:scz transform: scaleZ(z);     w fsm   -webkit-font-smoothing:${antialiased};  
trf:skx transform: skewX(angle);  w fsm:a -webkit-font-smoothing:antialiased;  
trf:sky transform: skewY(angle);   w fsm:n -webkit-font-smoothing:none;  
                                w fsm:s, w fsm:sa -webkit-font-smoothing:subpixel-antialiased;  
trf:t  transform: translate(x, y); w m     writing-mode:lr-tb;  
trf:t3 transform: translate3d(tx, ty, tz);  
trf:tx transform: translateX(x);   w m:bt l writing-mode:bt-lr;  
trf:ty transform: translateY(y);  w m:bt r writing-mode:bt-rl;  
trf:tz transform: translateZ(z);  w m:lb r writing-mode:lr-bt;  
trfo  transform-origin:;        w m:lt r writing-mode:lr-tb;  
trfs  transform-style:preserve-3d;  
trs   transition:prop time;    w m:rb  writing-mode:rl-bt;  
trsde transition-delay:time;   w m:lt  writing-mode:rl-tb;  
trsdu transition-duration:time; w m:tb l writing-mode:tb-lr;  
trsp  transition-  
      property:prop;  
trstf transition-timing-function:tfunc;
```

Справочник сокращений EMMET



PROGRAMMING NOT ONLY

Документация создана при поддержке проекта

sitkodenis.ru

XSL

tmatch, tm <xsl:template match="" mode=""></ xsl:template>
tname, tn <xsl:template name=""></ xsl:template>
call <xsl:call-template name="" />
ap <xsl:apply-templates select="" mode="" />
api <xsl:apply-imports />
imp <xsl:import href="" />
inc <xsl:include href="" />
ch <xsl:choose></xsl:choose>
xsl:when, wh <xsl:when test=""></xsl:when>
ot <xsl:otherwise></xsl:otherwise>
if <xsl:if test=""></xsl:if>
par <xsl:param name=""></xsl:param>
pare <xsl:param name="" select="" />
var <xsl:variable name=""></ xsl:variable>
vare <xsl:variable name="" select="" />
wp <xsl:with-param name="" select="" />
key <xsl:key name="" match="" use="" />
elem <xsl:element name=""></xsl:element>
attr <xsl:attribute name=""></ xsl:attribute>
attrs <xsl:attribute-set name=""></ xsl:attribute-set>
cp <xsl:copy select="" />
co <xsl:copy-of select="" />
val <xsl:value-of select="" />
each, for <xsl:for-each select=""></xsl:for-each>
tex <xsl:text></xsl:text>
com <xsl:comment></xsl:comment>
msg <xsl:message terminate="no"></xsl:message>
fall <xsl:fallback></xsl:fallback>
num <xsl:number value="" />
nam <namespace-alias stylesheet-prefix="" result-prefix="" />

pres

<xsl:preserve-space elements="" />

strip

<xsl:strip-space elements="" />

proc

<xsl:processing-instruction name=""></xsl:processing-instruction>

sort

<xsl:sort select="" order="" />

choose+

<xsl:choose>
 <xsl:when test=""></xsl:when>
 <xsl:otherwise></xsl:otherwise>
</xsl:choose>

xsl

<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
</xsl:stylesheet>

!!!

<?xml version="1.0" encoding="UTF-8"?>

Справочник сокращений ЕММЕТ



PROGRAMMING NOT ONLY

Документация создана при поддержке проекта

sitkodenis.ru

HTML DOCTYPES

!, html:5

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Document</title>
  </head>
  <body>

  </body>
</html>
```

doc

```
<html>
  <head>
    <meta charset="UTF-8" />
    <title>Document</title>
  </head>
  <body>

  </body>
</html>
```

doc4

```
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html;charset=UTF-8" />
    <title>Document</title>
  </head>
  <body>

  </body>
</html>
```

html:4t

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html lang="en">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Document</title>
  </head>
  <body>

  </body>
</html>
```

html:4s

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
"http://www.w3.org/TR/html4/strict.dtd">
<html lang="en">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Document</title>
  </head>
  <body>

  </body>
</html>
```

html:xt

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Document</title>
  </head>
  <body>

  </body>
</html>
```

Справочник сокращений ЕММЕТ



Документация создана при поддержке проекта

sitkodenis.ru

html:xs

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"  
  "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">  
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">  
<head>  
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />  
  <title>Document</title>  
</head>  
<body>  
  
</body>  
</html>
```

html:xxs

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"  
  "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">  
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">  
<head>  
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />  
  <title>Document</title>  
</head>  
<body>  
  
</body>  
</html>
```

!!!

```
<!DOCTYPE html>
```

!!!4t

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"  
  "http://www.w3.org/TR/html4/loose.dtd">
```

!!!4s

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"  
  "http://www.w3.org/TR/html4/strict.dtd">
```

!!!xt

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"  
  "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

!!!xs

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"  
  "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
```

!!!xxs

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"  
  "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
```

html:xml

```
<html xmlns="http://www.w3.org/1999/xhtml"></html>
```